## AMENDMENT OF THE CLAIMS

This listing of claims will replace all prior versions, and listings of claims in the application:

Claim 1 (Currently Amended): A method for producing a surface,

the method comprising:

fixing microparticles to a carrier layer or a substrate either before or after hydrophobizing of said microparticles;

hydrophobizing said microparticles with component i),

to form a resulting surface having a surface structure,

the surface structure having elevations which are formed by said microparticles,

said elevations having a mean height of from 20 nm to 25  $\mu$ m and a mean separation of from 20 nm to 25  $\mu$ m,

the microparticles having a particle diameter of from 0.02 to 100  $\mu$ m and having been hydrophobized with component i);

the resulting surface having self-cleaning, oleophobic, lipophobic and lactophobic properties; and

wherein the component i) is an oligomerized cocondensate of

3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyltriethoxysilane and 3-aminopropyltriethoxysilane;

wherein the resulting surface has elevations which are formed by the microparticles themselves having an aspect ratio of from 0.3 to 1.

Application No.: 10/556,092

In reply to Advisory Action mailed: July 14, 2011

Claim 2 (Previously Presented): The method as claimed in claim 1,

wherein the microparticles are pyrogenic silica or precipitated silica particles hydrophobized with fluoroalkylalkoxysilanes.

Claim 3 (Previously Presented): The method as claimed in claim 1,

wherein the surfaces are the surfaces of textiles, advertising media, awning materials, covering films, industrial nonwovens, items of clothing, outdoor clothing, rainwear, workwear, children's clothing, protective clothing, semifinished products, films or articles made of plastic.

Claim 4 (Withdrawn): An article with at least one surface with self-cleaning, hydrophobic, lipophobic, oleophobic and lactophobic properties,

wherein the article is coated with the hydrophobized microparticles of claim 1.

Claim 5 (Withdrawn): The article as claimed in claim 4,

wherein the article is a textile, an advertising medium, an awning material, a covering film, an industrial nonwoven, an item of clothing, an outdoor clothing, a rainwear, a workwear, a children's clothing, a protective clothing, a semifinished product, a film or an article made of plastic.

Claim 6 (Previously Presented): The method as claimed in claim 1, wherein the mean height is from 50 nm to 10  $\mu$ m and the mean separation is from 50 nm to 10  $\mu$ m.

Claim 7 (Previously Presented): The method as claimed in claim 1, wherein the mean height is from 50 nm to 4  $\mu$ m and the mean separation is from 50 nm to 4  $\mu$ m.

Claim 8 (Previously Presented): The method as claimed in claim 1, wherein the resulting surface has elevations with a mean height of from 0.25 to 1 µm and a mean separation of from 0.25 to 1 µm.

Claim 9 (Previously Presented): The method as claimed in claim 1, wherein the resulting surface has a static contact angle of greater than 130°.

Claim 10 (Previously Presented): The method as claimed in claim 1, wherein the resulting surface has a difference between advancing and receding angle of not more than 10°.

Claim 11 (Previously Presented): The method as claimed in claim 1, wherein the resulting surface has a surface structure having an aspect ratio of the elevations of greater than 0.15.

Claim 12 (Canceled):

Claim 13 (Previously Presented): The method as claimed in claim 1, wherein the microparticles penetrate at least partly into the surface.

Claim 14 (Previously Presented): The method as claimed in claim 1, wherein the resulting surface has elevations which are formed by the microparticles themselves having an aspect ratio of less than 1.

Application No.: 10/556,092

In reply to Advisory Action mailed: July 14, 2011

Claim 15 (Previously Presented): The method as claimed in claim 1, wherein the

microparticles lie on the surface and are bonded to it by a physical force.

Claim 16 (Previously Presented): The method as claimed in claim 1, wherein the

microparticles which form the elevations of the structured surface are those which have an

irregular fine structure in the nanometer range on the surface.

Claim 17 (Previously Presented): The method as claimed in claim 16, wherein the

microparticles with the irregular fine structure have elevations or fine structures with an

aspect ratio of greater than 1.

Claim 18 (Previously Presented): The method as claimed in claim 1, wherein the

microparticles or the entire resulting surface after the application of the microparticles to the

surface is hydrophobized again with fluorosilanes or fluorsiloxanes.

Claim 19 (Previously Presented): The method as claimed in claim 1, wherein more

than 50% of the particles are embedded into the surface up to an extent of 90% of their mean

diameter.

Claim 20 (Previously Presented): The method as claimed in claim 1, wherein the

hydrophobizing is effected by crosslinking component i) on the particle surface.

5

Application No.: 10/556,092

In reply to Advisory Action mailed: July 14, 2011

Claim 21 (Previously Presented): The method as claimed in claim 1, wherein the hydrophobizing is effected by bonding the component i) to the particle surface.

Claim 22 (Canceled):